

2025 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the Environment Act 1995
Local Air Quality Management, as amended by the
Environment Act 2021

Date: June 2025

Information	Warrington Borough Council Details
Local Authority Officer	Angela Sykes
Department	Environmental Protection
Address	Town Hall, Warrington
Telephone	01925 442557
E-mail	01925 442557
Report Reference Number	ASR 2025
Date	June 2025

Local Responsibilities and Commitment

This ASR was prepared by the Environmental Protection Team of Warrington Borough Council with the support and agreement of the following officers and departments:

Angela Sykes

Richard Moore

This ASR has been approved by: The Air Quality Programme Board

This ASR has been signed off by a Director of Public Health.

If you have any comments on this ASR please send them to Angela Sykes at:

Warrington Borough Council

East Annex

Town Hall

Sankey Street

Warrington

WA1 1UH

01925 443322

Environmental.health@warrington.gov.uk

Executive Summary: Air Quality in Our Area

Air Quality in Warrington

Breathing in polluted air affects our health and costs the NHS and our society billions of pounds each year. Air pollution is recognised as a contributing factor in the onset of heart disease and cancer and can cause a range of health impacts, including effects on lung function, exacerbation of asthma, increases in hospital admissions and mortality.

Air pollution particularly affects the most vulnerable in society, children, the elderly, and those with existing heart and lung conditions. Low-income communities are also disproportionately impacted by poor air quality, exacerbating health and social inequalities.

Table ES 1 provides a brief explanation of the key pollutants relevant to Local Air Quality Management and the kind of activities they might arise from.

Table ES 1 - Description of Key Pollutants

Pollutant	Description
Nitrogen Dioxide (NO ₂)	Nitrogen dioxide is a gas which is generally emitted from high-temperature combustion processes such as road transport or energy generation.
Sulphur Dioxide (SO ₂)	Sulphur dioxide (SO ₂) is a corrosive gas which is predominantly produced from the combustion of coal or crude oil.
Particulate Matter (PM ₁₀ and PM _{2.5})	Particulate matter is everything in the air that is not a gas. Particles can come from natural sources such as pollen, as well as human made sources such as smoke from fires, emissions from industry and dust from tyres and brakes. PM ₁₀ refers to particles under 10 micrometres. Fine particulate matter or PM _{2.5} are particles under 2.5 micrometres.

In order to fulfil its statutory obligations, Warrington Borough Council undertakes monitoring of air quality across the Borough. This monitoring is in the form of real time and non-automatic/passive monitoring at various locations. The results are compared against national limits, known as objectives, which have been set based on health grounds. The monitoring programme is reviewed regularly to identify the areas most affected, with new developments or changes in traffic flow identified that might impact on an area or that may introduce new receptors close to a significant source.

As part of the reporting process, the Council must assess what actions they are taking now and what planned action, if any, should be taken in the future, within an Air Quality Action Plan (AQAP). The principal pollutants of concern within Warrington are those mainly associated with road traffic, specifically Nitrogen Dioxide (NO₂), and Particulate Matter (PM).

There are two Air Quality Management Areas (AQMAs) within the Borough, which were declared because levels of NO₂ exceeded the national annual mean objective.



The predominant source of NO₂ at a local level relates to road transport. When considering vehicle miles travelled on Warrington roads, using the Department for Transport figures, traffic volumes remained relatively consistent between 2016 and 2019 for all vehicle types. Notably due to Covid impacts, the overall traffic volume reduced by 22% on average during 2020, remained 14% less during 2021 when compared to 2019, and whilst it has increased in 2024, traffic levels are still 93% of 2019.

Whilst air quality levels are compared against the national objectives, the Council recognises that health benefits can still be realised by reducing pollution levels below these limits.

Local priorities revolve around a successful economy, reducing deprivation and improving health inequalities across the wards. The Health and Wellbeing Strategy 2024-2028 sets out a vision for improving health and wellbeing across the borough. This strategy outlines eight priorities including "Pursue environmental quality, sustainability and health equity together" and to "help address poor air quality, diesel buses will be replaced with electric, promoting green travel and reducing carbon emissions."



The Council recognises the need to deliver its ambitious plans for a strong local economy, and the need for new housing provision. The local authority has an ambition to do this within a sustainable framework and in line with its duty to improve the health of the people in its area which includes improving air quality.

The Local Plan was formally adopted in December 2023. This sets out the housing and employment need for the borough until 2038/39. Detailed work carried out by the Council shows that Warrington has a need to provide 14,688 new homes and 316.26 hectares of employment land by 2038, along with the required supporting infrastructure. The associated increase in traffic, has been assessed for any impact on air quality as part of the AQAP. This concluded that levels of NO₂ are expected to improve due to the increased uptake of low emission vehicles, but that PM_{2.5} concentrations will see less of an improvement and will remain of concern.

The Council is committed to working with relevant partners, for example the Highways Agency, to develop actions to further improve air quality, and with the UK Health Security Agency to gain health evidence and advice of health impacts at a local level.

The current AQMAs, air quality reports and air quality data are available to be viewed at www.warrington.gov.uk/airquality

Going forward, the Council expects levels of NO₂ to continue to improve as long as actions within the AQAP and LTP4 are enacted and emissions from the transport sector are reduced. As such, the Council propose to revoke the AQMAs and replace the AQAP with an Air Quality Strategy for the borough. It should be noted that the same level of

improvement is not expected for $PM_{2.5}$ and the focus will need to change to concentrate on measures to reduce sources of this pollutant.

Actions to Improve Air Quality

Whilst air quality has improved significantly in recent decades, there are some areas where local action is needed to protect people and the environment from the effects of air pollution.

The Environmental Improvement Plan¹ sets out actions that will drive continued improvements to air quality and to meet the new national interim and long-term targets for fine particulate matter (PM_{2.5}), the pollutant of most harmful to human health. The Air Quality Strategy² provides more information on local authorities' responsibilities to work towards these new targets and reduce fine particulate matter in their areas.

The Road to Zero³ details the Government's approach to reduce exhaust emissions from road transport through a number of mechanisms, in balance with the needs of the local community. This is extremely important given that cars are the most popular mode of personal travel, and the majority of AQMAs are designated due to elevated concentrations heavily influenced by transport emissions.



¹ Defra. Environmental Improvement Plan 2023, January 2023

³ DfT. The Road to Zero: Next steps towards cleaner road transport and delivering our Industrial Strategy, July 2018



² Defra. Air Quality Strategy – Framework for Local Authority Delivery, August 2023

The Warrington AQAP was formally adopted in April 2018 and revised in 2021 due to a number of actions being completed. The AQAP and related policies have been developed to ensure that measures aimed at reducing levels of NO₂ are complementary to reducing PM_{2.5}. The main priority is to try to tackle the exceedances of NO₂ and to improve air quality generally, not just within the AQMAs but across the wider borough.

An Air Quality Programme Board to oversee implementation of the AQAP has been set up, chaired by the Director of Environment & Transport, and includes Directors and senior management that oversee public health, planning, transport, procurement and climate change alongside Portfolio Council members and a representative from the Health Security Agency. As mentioned previously, it is proposed to replace the AQAP with an Air Quality Strategy which will sit alongside and inform major new Council policies, specifically the new adopted Local Plan and the updated Local Transport Plan (LTP4). The focus has been on embedding air quality as a major aspect within the Local Plan and the Local Transport Plan (LTP4).



Actions have continued to aim at improving traffic flows, increasing cycling and use of travel planning, and the majority have now been completed including the following:

Local Plan Review

The Local Plan was formally adopted at a meeting of the full council on 4th December 2023 and is now the statutory Development Plan for the Borough 2038/39. This replaces the Local Plan Core Strategy 2014 and will be used in the determination of planning applications.

Environmental Protection SPD

A revised document has been adopted in June 2024.

Electric Taxi Strategy

A final version of the strategy was prepared in 2023 and has been published.

Anti-Idling Campaign

Several schools in Warrington took part in an Anti-Idling campaign in conjunction with Warrington Borough Council. The purpose of the campaign was to increase awareness of air quality, and the impact idling vehicles can have. Pupils will be monitoring the situation and making recommendations to drivers.



Conclusions and Priorities

In 2024 the levels of NO₂ have reduced compared to 2023 at all locations. Furthermore, levels were lower than in 2020 during the pandemic at all locations. In addition, there has been a trend of gradual reduction in NO₂ levels over the last few years, this is expected to continue. The improvement has been concluded to be as a result of combined measures within the AQAP, a reduction in traffic that has resulted in an improvement in traffic flows, and the uptake of newer Euro 6 engines and low emission vehicles. The levels of NO₂ at all locations across the borough now meet the national objectives/standards, within and outside of the AQMAs. Therefore, the Council plan to revoke both AQMAs following consultation.

Unlike the reduction in levels of NO₂, there has been only a slight improvement in PM levels (PM₁₀ and PM_{2.5}) compared to previous years. This indicates that particulates are

less affected by traffic and there are alternative sources such as domestic burning and transboundary influences.

Further details on the results for 2024 are provided within Appendix A.

The AQAP was first adopted in 2018 and supplemented the adopted Local Plan and the Local Transport Plan (LTP4). The Council updated the AQAP which was published in January/February 2022, following consultation during 2021. The AQAP provides detail on all completed and ongoing actions.

The Council considers that actions contained within the AQAP have been prioritised and implemented, where possible, to improve air quality in order to meet the national objectives in the longer term. It is also acknowledged that actions to improve air quality have additional positive benefits by improving health and to deliver sustainable growth in the longer term. The focus of the AQAP has been to improve air quality within the Warrington AQMA but also to improve concentration across the wider borough. The majority of actions with the AQAP are now either completed or ongoing, therefore it is considered that an Air Quality Strategy would be the most appropriate policy to continue actions to improve air quality. Measures available to the Council to improve air quality though within the Motorway AQMA remain limited without support from Highways England.

How to get Involved

Whilst the Council has a strategic position to improve air quality, there are many actions that can be taken individually by the public and private sector to reduce individual emissions. These include cycling and walking, improved driving style to reduce fuel cost and increased use of public transport. All these actions can have the additional benefit of improving health and wellbeing as well as making financial savings.

Additional information is available on the Council Website for Travel Warrington at:

www.warrington.gov.uk/traffic-and-travel

Additional information on air quality, including advice on smoke control areas and monitoring data, is available on the Council website at:

www.warrington.gov.uk/airquality

Further information on air quality and actions that can be taken is available by emailing the Environmental Protection team at: environmental.health@warrington.gov.uk

Table of Contents

Local Responsibilities and Commitment	i
Executive Summary: Air Quality in Our Area	ii
Air Quality in Warrington	ii
Actions to Improve Air Quality	v
Conclusions and Priorities	vii
How to get Involved	viii
1 Local Air Quality Management	1
2 Actions to Improve Air Quality	2
2.1 Air Quality Management Areas	2
2.2 Progress and Impact of Measures to address Air Quality in Warrington	4
2.3 PM _{2.5} – Local Authority Approach to Reducing Concentrations	
3 Air Quality Monitoring Data and Comparison with Air Quality Objectives	
National Compliance	
3.1 Summary of Monitoring Undertaken	10
3.1.1 Automatic Monitoring Sites	10
3.1.2 Non-Automatic Monitoring Sites	10
3.2 Individual Pollutants	11
3.2.1 Nitrogen Dioxide (NO ₂)	
3.2.2 Particulate Matter (PM ₁₀)	
3.2.3 Particulate Matter (PM _{2.5})	
Appendix A: Monitoring Results	
Appendix B: Full Monthly Diffusion Tube Results for 2024	
Appendix C: Supporting Technical Information / Monitoring Data QA/QC	37
New or Changed Sources Identified Within Warrington During 2024	37
Additional Air Quality Works Undertaken byWarrington During 2024	
QA/QC of Diffusion Tube Monitoring	
Diffusion Tube Annualisation	
Diffusion Tube Bias Adjustment Factors	
NO ₂ Fall-off with Distance from the Road	
QA/QC of Automatic Monitoring	
PM ₁₀ and PM _{2.5} Monitoring Adjustment	
Automatic Monitoring Annualisation	
Appendix D: Map(s) of Monitoring Locations and AQMAs	
Appendix E: Summary of Air Quality Objectives in England	
Appendix F: Traffic Information	
Glossary of Terms	
References	49

Figures

Figure A.1a-1d – Trends in Annual Mean NO ₂ Concentrations	24
Figure A.2 – Comparison of NO_2 Monthly Mean Concentrations measured at automatic monitoring sites across the North West	
Figure A.3 – Trends in Annual Mean PM ₁₀ Concentrations	30
Figure A.4 – Trends in Annual Mean PM _{2.5} Concentrations	33
Figure A.5 – Comparison of 2023 PM2.5 PHOF indicator (New Data)	34
Figure D.1 – Map of Non-Automatic Monitoring Site	41
Tables	
Table 2.1 – Declared Air Quality Management Areas	3
Table 2.2 – Progress on Measures to Improve Air Quality	7
Table A.1 – Details of Automatic Monitoring Sites	15
Table A.2 – Details of Non-Automatic Monitoring Sites	16
Table A.3 – Annual Mean NO ₂ Monitoring Results: Automatic Monitoring (µg/m³)	19
Table A.4 – Annual Mean NO $_2$ Monitoring Results: Non-Automatic Monitoring ($\mu g/m^3$)	20
Table A.5 – 1-Hour Mean NO_2 Monitoring Results, Number of 1-Hour Means > $200\mu g/m$	
T-1-1- A.C. Annual Mana DM Manitaria a Deculto (1.11/1-3)	
Table A.6 – Annual Mean PM ₁₀ Monitoring Results (µg/m³)	
Table A.7 – 24-Hour Mean PM ₁₀ Monitoring Results, Number of PM ₁₀ 24-Hour Means > 50µg/m³	
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (µg/m³)	32
Table B.1 – NO ₂ 2024 Diffusion Tube Results (μg/m³)	35
Table C.1 – Bias Adjustment Factor	39
Table C.2 – Automatic NO2 Annualisation Summary	40
Table F 1 – Air Quality Objectives in England	46

1 Local Air Quality Management

This report provides an overview of air quality in Warrington during 2024. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995), as amended by the Environment Act (2021), and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in order to achieve and maintain the objectives and the dates by which each measure will be carried out. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Warrington Borough Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England are presented in Table E.1.

2 Actions to Improve Air Quality

2.1 Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority should prepare an Air Quality Action Plan (AQAP) within 18 months. The AQAP should specify how air quality targets will be achieved and maintained and provide dates by which measures will be carried out.

A summary of AQMAs declared by Warrington Borough Council can be found in Table 2.1. The table presents a description of the two AQMAs that are currently designated within Warrington. Appendix D: Map(s) of Monitoring Locations and AQMAs provides maps of AQMAs and also the air quality monitoring locations in relation to the AQMAs. The air quality objectives pertinent to the current AQMA designation(s) are as follows:

NO₂ annual mean

We propose to revoke both the Warrington Town Centre AQMA and Motorway AQMA.

Table 2.1 - Declared Air Quality Management Areas

AQMA Name	Date of Declaration	Pollutant s and Air Quality Objective s	One Line Description	Is air quality in the AQMA influenced by roads controlled by Highways England?	Level of Exceedance: Declaration	Level of Exceedance: Current Year	Number of Years Compliant with Air Quality Objective	Name and Date of AQAP Publication	Web Link to AQAP
Motorway AQMA	Declared 2001	NO ₂ Annual Mean	An area 50m from roadside around the M62, M6 and M56	YES	47 μg/m³	26.1 μg/m³	4	Warrington Air Quality Action Plan 2022	www.warrington.gov.uk/airquality
Warrington AQMA	Declared 2016	NO ₂ Annual Mean	Around the town centre and major arterial roads	NO	54 μg/m³	31.9 μg/m³	3	Warrington Air Quality Action Plan 2022	www.warrington.gov.uk/airquality

[☑] Warington Borough Council confirm the information on UK-Air regarding their AQMA(s) is up to date.

[☑] Warrington Borough Council confirm that all current AQAPs have been submitted to Defra.

2.2 Progress and Impact of Measures to address Air Quality in Warrington

Defra's appraisal of last year's ASR concluded the report was well structured, detailed, and provides the information specified in the Guidance. The following comments were included to help inform future reports and all are acknowledged:

- 1. The Council have robust QA/QC procedures, which were applied appropriately and accurately to the 2023 automatic and non-automatic monitoring data.
- 2. Comments from last year's ASR have been mentioned and addressed.
- 3. The Council are doing commendable work in addressing PM_{2.5} levels with initiatives that reflect a proactive and thorough approach to improve the air quality.
- 4. All graphs and maps are well presented and are clear to read. The Council have also provided a detailed discussion of the trends. However, it would be beneficial to clearly indicate the boundaries of the AQMAs in the maps' legends.
- 5. Minor formatting issues are present throughout the ASR document. The ASR should be reviewed and formatting/grammar errors addressed prior to submission. For instance, on page maps' legends in the Appendix, there is a typo in the word 'non-continuous'.
- 6. The Council report on plans to revoke both AQMAs, which have been compliant with the AQO for 2 and 3 years, due to a gradual reduction in NO₂ levels in the last few years. However, according to LAQM guidance, the years 2020 and 2021 should not be considered when determining compliance. WBC should continue monitoring annual NO₂ concentrations within both AQMAs and, upon reviewing the 2024 data, consider if revocation is feasible.
- 7. Overall, the report provides a good insight into the work that the Council are doing and all the current and future measures to improve local air quality.

Warrington Borough Council has taken forward a number of direct measures during the current reporting year of 2024 in pursuit of improving local air quality. Details of all measures completed, in progress or planned are set out in Table 2.2. Several measures are included within Table 2.2, with the type of measure and the progress Warrington

Borough Council have made during the reporting year of 2024 presented. Where there have been, or continue to be, barriers restricting the implementation of the measure, these are also presented within Table 2.2.

More detail on these measures can be found in their respective Action Plans.

The majority of actions have now been completed successfully. However, a few are ongoing:

- Electric Vehicle (EV) Strategy additional on-street charging infrastructure is to be installed from 2026 onwards. A large EV hub is proposed off the M62 motorway as part of a new service station.
- **Wood burning stoves** action is ongoing, and it is proposed to include a policy on domestic burning within the new strategy document.
- **Pool cars/general fleet** action is ongoing, but is largely dependent on funding, the provision of a new depot and the capacity to charge vehicles. However, it is proposed to include a policy within the new strategy document. Discussions around ring-fencing savings from fuels costs have taken place.
- Play Streets action is ongoing, and emphasis will be on expanding the scheme across the borough, alongside the promotion of active travel and proposed cycle routes.

Key completed measures are:

Anti-Idling Campaign

Several schools in Warrington took part in an Anti-Idling campaign in conjunction with Warrington Borough Council. The purpose of the campaign was to increase awareness of air quality, and the impact idling vehicles can have

Wood Burning Advice

A review of existing information has been carried out, and the website updated accordingly in 2023. A further communications package is being considered to go out from Autumn 2025.

• A49 Bus Service Improvement Plan Consultation

New bus priority measures and improvement to walking and cycling have been proposed along the A50 Long Lane and the A49 Winwick Road southbound. The proposals consist of four 'bus gates' i.e. short lengths of road only buses can use.

All-electric bus fleet

Warrington's Own Buses entire fleet of diesel buses has been replaced with state-of-the-art Volvo BZL Electric buses. Bus travel accounts for 1% of distance driven on Warrington's roads, yet accounts for 11% of NO_x and 5.7% of PM2.5 of traffic emissions. Over a 12-month period across it has been estimated that changing to an electric fleet will lead to the equivalent emissions savings of: NO_x: 48,942kg; PM_x: 854kg; CO₂: 6,670 tonnes.

Warrington Borough Council worked to implement these measures in partnership with the following stakeholders during 2024:

- Warrington & Co;
- The Highways Agency
- Warrington's Own Buses
- Department for Transport

The principal challenges and barriers to implementation that Warrington Borough Council anticipates facing are funding and resources to complete the actions. The cost-of-living crisis has also created uncertainty over future funding.

Warrington Borough Council anticipates that the majority measures stated above and in Table 2.2 will achieve compliance in 2024/25.

Table 2.2 – Progress on Measures to Improve Air Quality

Measure No.	Measure Title	Category	Classification	Year Measure Introduced in AQAP	Estimated / Actual Completion Date	Organisations Involved	Funding Source	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
1	Development Plan Context: Local Plan Review	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	2018	2023	WBC Planning Policy	Local Authority funding	Funded	£50k - £100k	Completed	N/A	Policy in place	Completed	Local Plan adopted December 2023
2	Environmental Protection SPD	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	2018	2023	WBC Environmental Protection	Local Authority funding	Funded	< £10k	Completed	N/A	Policy in place	Completed	Consultation completed December 2023. To be formally adopted June 2024
3	Electric Taxi Strategy	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	2022	2023	WBC Environmental Protection	Local Authority funding	Funded	£10k - 50k	Completed	N/A	Strategy in place	Completed	Final report produced 2023
4	Town Centre Last Mile Project	Policy Guidance and Development Control	Air Quality Planning and Policy Guidance	2022	2022	WBC Transport Planning	Local Authority funding	Funded	£10k	Completed	N/A	Strategy in place	Completed	Masterplan completed, feeds into Local Plan
5	Domestic/Public Wood Burning Advice	Public Information	Via the Internet	2022	2023	WBC Environmental Protection	Local Authority funding	Funded	<£10k	Implementation	N/A	Information available	Completed	Website updated, comms package to go out Autumn 2024
6	Electric Vehicle Charging Points	Transport Planning and Infrastructure	Via the Internet	2022	2023	WBC Transport Planning	Local Authority funding	Funded by OZEV	£700k	Implementation	<1ug/m³	Number of vehicle charging points	Ongoing	Proposal for an additional 200 onstreet.
7	Chester Road Cycleway	Transport Planning and Infrastructure	Cycle network	2018	2021	WBC Transport planning	LEP funded	Funded	£500k - £1 million	Completed	<1 μg/m³	<1 μg/m³	Completed	Measuring usage
8	Burtonwood to Omega Cycling/walking link	Transport Planning and Infrastructure	Cycle network	2018	2021	WBC Transport Planning	DoT / developer funded	Funded	£500k - £1 million	Completed	<1 μg/m³	<1 µg/m³	Completed	Measuring usage
9	Centre Park Link Road	Transport Planning and Infrastructure	Other	2018	2021	WBC Transport Planning	DoT funded	Funded	£1 million - £10 million	Completed	6 μg/m³ on Chester Road and 11 μg/m³ on Wilson Patten Street monitoring points	6 μg/m³ on Chester Road and 11 μg/m³ on Wilson Patten Street monitoring points	Completed	To improve flows and reduce congestion in town centre
10	Western Link Road	Transport Planning and Infrastructure	Other	2018	2024	WBC Transport Planning	DoT/WBC funded	Partially Funded	>£10 million	Planning	Further transport modelling work with AQ assessment to be undertaken.	Further transport modelling work with AQ assessment to be undertaken.	On Hold. Awaiting central government decision	Inflationary pressures/high construction price inflation rates.
11	Electric Buses	Transport Planning and Infrastructure	Other	2022	2024	WBC Transport Planning	ZEBRA Funding and Local Authority Funding	Funded	£20 million	Implementation	<1ug/m³	Bus depot completed. 105 electric buses in operation.	Completed	Delay with bus manufacture.
12	Council Pool Cars	Transport Planning and Infrastructure	Other	2023	2023	WBC Transport Planning	Local Authority Funding	Not Funded	£100k - £500k	Planning	<1ug/m³	Number of vehicles	Ongoing	Potential relocation of depot imminent.
13	Anti-Idling Campaign with Schools	Transport Planning and Infrastructure	Other	2022	2023	WBC Transport Planning	Local Authority Funding	Funded	£10k	Completed	<1ug/m³	Number of schools	Ongoing	Lack of engagement from schools/parents.
14	Temporary Play Streets	Promoting Travel Alternatives	Other	2018	2024	WBC Public Health	Local Authority funding	Partially Funded	£10k - 50k	Implementation	N/A	N/A	Ongoing	Staff resources required to be allocated
15	PM2.5 monitoring	Policy Guidance and Development Control	Other policy	2018	2024	WBC Environmental Protection	Some funding through transport projects	Partially Funded	£100k - £500k	Completed	N/A	Number of monitoring sites	Ongoing	Funding through transport schemes.
16	Indoor Air Quality Projects	Policy Guidance and Development Control	Other	2022	2024	WBC Public Health/ Environmental Protection	Local Authority Funding/DEFRA	Funded	£200k	Planning	N/A	Number of households reached	Ongoing	Lack of engagement

LAQM Annual Status Report 2025

2.3 PM_{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG22 (Chapter 8) and the Air Quality Strategy⁴, local authorities are expected to work towards reducing emissions and/or concentrations of fine particulate matter (PM_{2.5})). There is clear evidence that PM_{2.5} (particulate matter smaller 2.5 micrometres) has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

PM_{2.5} impacts on mortality are included within the Public Health Outcomes Framework Indicator D01. The most recent figures are from 2023, which show a slight decrease to 4.9% compared to the previous value of 5.5%; this is due to 'new data' that has been used by DEFRA. The Northwest regional average is 4.9%. The Council has used this indicator as part of the health evidence to produce a chapter on Air Quality in the Joint Needs Strategic Assessment (JSNA) Framework that was adopted in April 2018.

Warrington Borough Council considers that the measures within the AQAP to reduce levels of NO₂ will be complementary in reducing PM_{2.5} emissions.

Warrington Borough Council is taking the following measures to address PM_{2.5}:

Action 1 within the AQAP for the Local Plan included a borough wide air quality assessment for PM_{2.5} levels. This concluded that whilst there will be some improvements, there will still be areas that exceed the World Health Organization guideline value, and proposed national limit, in 2036. It is accepted that further actions, through the LTP4 and other measures, will be required.

Action 2 of the AQAP is to update the Environmental Protection Supplementary Planning Document in line with the new emerging Local Plan update. The supplementary planning document (SPD) was produced in 2013 but was updated in 2023. Planning applications

-

⁴ Defra. Air Quality Strategy – Framework for Local Authority Delivery, August 2023

for new developments are screened for air quality and, if considered necessary, include $PM_{2.5}$ impacts and exposure.

Action 15 within the AQAP is to carry out PM_{2.5} monitoring to gain further and robust evidence of concentrations within poor air quality areas. An additional real-time roadside monitoring site was set up on Liverpool Road in November 2022 which included PM monitoring. This was funded by the Western Link Road project.

In addition, the majority of Warrington has been covered by Smoke Control Orders since the late 1960s, except for the Hatton and Stretton Wards in the south of the borough. In recent years there has been an increase in the installation/use of wood burning stoves in domestic properties within urban areas. This is likely to cause an increase in PM_{2.5} emissions even with Defra approved appliances which may also cause a nuisance from the burning odour to neighbours, especially if used incorrectly. Due to the changes in national legislation requiring certain standards for wood burning stoves and wet wood, an action is included within the revised AQAP to provide additional information to the public via the Council's webpages (i.e. 'Ready to Burn scheme'). The information will include the legislative requirements and advice on how best to burn to reduce emissions as far as possible. It was proposed within the AQAP to assess whether the whole of Warrington should be included under one order; whilst this was not taken forward into the revised AQAP, it is to be considered as potential future action.

3 Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

This section sets out the monitoring undertaken within 2024 by Warrington Borough Council and how it compares with the relevant air quality objectives. In addition, monitoring results are presented for a five-year period between 2020 and 2024 to allow monitoring trends to be identified and discussed.

3.1 Summary of Monitoring Undertaken

3.1.1 Automatic Monitoring Sites

Warrington Borough Council undertook automatic (continuous) monitoring at 5 sites during 2024. Table A.1 in Appendix A shows the details of the automatic monitoring sites.

Monitoring data from the Selby Street AURN site is available at:

https://uk-air.defra.gov.uk/networks/network-info?view=aurn

The data for Chester Road, Parker Street and Sankey Way roadside sites is available from the UK Air Quality website at:

http://www.ukairquality.net/

The links can be accessed through the Council air quality webpage at:

https://www.warrington.gov.uk/airquality

Alternatively, the data can be provided by the Council on request.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

3.1.2 Non-Automatic Monitoring Sites

Warrington Borough Council undertook non- automatic (i.e. passive) monitoring of NO₂ at 29 sites during 2024.

Table A.2 in Appendix A presents the details of the non-automatic sites.

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. annualisation and/or distance correction), are included in Appendix C.

3.2 Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, annualisation (where the annual mean data capture is below 75% and greater than 25%), and distance correction. Further details on adjustments are provided in Appendix C.

3.2.1 Nitrogen Dioxide (NO₂)

Table A.3 and

Table A.4 in Appendix A compare the ratified and adjusted monitored NO_2 annual mean concentrations for the past five years with the air quality objective of $40\mu g/m^3$. Note that the concentration data presented represents the concentration at the location of the monitoring site, following the application of bias adjustment and annualisation, as required (i.e. the values are exclusive of any consideration to fall-off with distance adjustment).

For diffusion tubes, the full 2024 dataset of monthly mean values is provided in Appendix B. Note that the concentration data presented in Table B.1 includes distance corrected values, only where relevant.

Table A.5 in Appendix A compares the ratified continuous monitored NO₂ hourly mean concentrations for the past five years with the air quality objective of 200μg/m³, not to be exceeded more than 18 times per year.

In 2024, no exceedences of the annual mean objective were recorded at any of the automatic or non-automatic monitoring sites; the highest results were 31µg/m³ at CM2 and 31.9µg/m³ at DT8 on Parker Street which is located within the Town Centre AQMA.

The trends in annual mean NO₂ concentrations for roadside, urban background, and rural background are shown in Figure A within Appendix A. It should be noted that there may be significant variations and annual fluctuations in concentrations due to meteorological

conditions that can affect dispersion as well as the secondary formation of pollutants. However, the general trend between 2020 and 2024 indicates that concentrations have been declining for the roadside monitoring sites, but the extent of this is largely dependent upon location.

Table A.5 in Appendix A compares the ratified continuous monitored NO₂ hourly mean concentrations for the past five years with the air quality objective of $200\mu g/m^3$, not to be exceeded more than 18 times per year. No exceedances of the 1 hour mean objective have been recorded in 2024. Annual mean results from diffusion tubes that are above $60\mu g/m^3$ may indicate a likely exceedance of the hourly objective (as per LAQM.TG16 technical guidance). In 2024, NO₂ concentrations at all non-automatic sites were less than $60\mu g/m^3$, which would indicate that an exceedance of the 1-hour mean objective is unlikely.

A comparison of NO₂ monthly and hourly means in the local network against nearby AURN at various sites between 2020 and 2024 is presented in Figure A.2. The seasonality in monitoring data is clearly demonstrated; levels in summer months tend to be lower than winter months when cold, calm conditions tend to lessen the dispersion of pollutants emitted near ground level (i.e. vehicles exhausts).

Warrington AQMA

The monitoring data for 2024 indicate a decrease in NO₂ concentration at all locations within the Town Centre AQMA compared to 2023.

At the majority of locations within the AQMA the NO₂ concentration was lower than in 2020, during the pandemic, excluding Parker Street (CM2 and DT8) and Kingsway South (DT20). This is possibly the result of modal shift, the continued transition to electric vehicles and improvements in exhaust emissions (Euro 6). An overall reduction of 5-22% in NO₂ concentrations has been observed between 2020 and 2024 within the Town Centre AQMA. All locations/monitoring sites within the AQMA recorded an annual mean below the national objective.

There has been consistent compliance over the last three years and the Council plans to revoke this AQMA given the trend of continuing improvement.

Motorway AQMA

The non-automatic monitoring sites located within the Motorway AQMA are DT5 (M6), DT6 (M62) and DT7 (M6 Howshoots Farm). The monitoring data for 2024 indicate a decrease in the annual mean NO₂ concentrations at all locations compared to 2023, and concentrations were also lower than 2020 for DT5 and DT6. All concentrations are below the national objective.

There has been consistent compliance over the last four years and the Council plans to revoke this AQMA.

Area Outside AQMAs

The annual mean concentrations for monitoring sites located outside of the AQMAs were all lower in 2024 compared to 2023, with the exception of Selby Street (CM1) and Risley Moss (DT1). All concentrations were significantly less than those recorded in 2019, and all remained below the national objective.

The real time analyser/continuous monitor at Selby Street (CM1) is part of the AURN and measures concentrations for urban background. In 2024, the mean annual concentration was 12.9µg/m³.

There is no evidence of any locations outside of the current AQMAs that might have a risk of exceedance that would require further investigation at this time.

3.2.2 Particulate Matter (PM₁₀)

Table A.6 in Appendix A: Monitoring Results compares the ratified and adjusted monitored PM₁₀ annual mean concentrations for the past five years with the air quality objective of 40µg/m³.

Table A.7 in Appendix A compares the ratified continuous monitored PM_{10} daily mean concentrations for the past five years with the air quality objective of $50\mu g/m^3$, not to be exceeded more than 35 times per year.

During 2024, PM₁₀ was measured at three sites within Warrington. A BAM type analyser is used to measure PM₁₀ concentrations at the Selby Street AURN site and a diode laser /optical mass instrument is used at the Sankey Way and Liverpool Road sites. In 2024, no exceedances of the annual mean objective were recorded, which is consistent with previous years. Figure A.3 shows the trend in PM₁₀ annual mean concentrations between 2020 and 2024.

The annual mean concentration at the Selby Street site, which is indicative of urban background, was $13\mu g/m^3$. The increased concentrations observed in 2020, and 2022 may be attributed to trans-boundary pollution and possibly an increase in domestic burning. The annual average concentration at the roadside sites was $11 \mu g/m^3$ for Sankey Way (CM4) and $10 \mu g/m^3$ for Liverpool Road (CM5) which are less than the background concentration, suggesting that traffic/exhaust emissions are less likely to have an impact on PM₁₀. The traffic on Sankey Way and Liverpool Road is generally free flowing. The results indicate no exceedences of the objective value of $40\mu g/m^3$.

The 24 hour mean objective of $50\mu g/m^3$ is not to be exceeded more than 35 times a year. During 2023, no exceedances were recorded at Selby Street, Sankey Way or Liverpool Road.

3.2.3 Particulate Matter (PM_{2.5})

Table A.8 in Appendix A presents the ratified and adjusted monitored PM_{2.5} annual mean concentrations for the past five years.

During 2024, PM_{2.5} was measured at three sites within Warrington. A BAM type analyser is used to measure PM2.5 concentrations at the Selby Street AURN site and a diode laser/optical mass instrument is used at the Sankey Way and Liverpool Road sites. In 2024, no exceedances of the annual mean objective were recorded, which is consistent with previous years. The annual mean concentration at Selby Street was $8\mu g/m^3$ which is higher than 2022 but lower than in 2020. The annual mean concentration at the Sankey Way (CM4) site was $9\mu g/m^3$ and at the Liverpool Road (CM5) site was $8\mu g/m^3$. The results indicate no exceedences of the objective value $25\mu g/m^3$ or the new objective value of $10\mu g/m^3$; however, the levels are in excess of the new recommended WHO guideline value of $5\mu g/m^3$.

The most recent figures available for the Public Health Outcomes Framework Indicator D01 are from 2023, which show a slight decrease to 4.9% compared to the previous value 5.5; this is due to 'new data' that has been used by DEFRA. The Northwest regional average is 4.9%. Figure A.5, in Appendix A, shows the comparison of Warrington to other Northwest authorities.

Appendix A: Monitoring Results

Table A.1 – Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA?	Which AQMA? (1)	Monitoring Technique	Distance to Relevant Exposure (m) (2)	Distance to kerb of nearest road (m) ⁽¹⁾	Inlet Height (m)
CM1	Selby Street	Urban Background	359151	388218	NO2, PM10, PM2.5	NO		Chemiluminescent; FDMS/BAM	22.0	50.0	2.5
CM2	Parker Street	Roadside	360015	387907	NO2	YES	Town Centre	Chemiluminescent	1	2	1.5
СМЗ	Chester Road	Roadside	360331	386454	NO2	YES	Town Centre	Chemiluminescent	1	2	1.5
CM4	Sankey Way	Roadside	358390	388105	NO2, PM2.5, PM10	NO		Chemiluminescent; Diode Laser	0	3.8	1.5
CM5	Liverpool Road	Roadside	358391	388106	NO2, PM2.5, PM10	NO		Chemiluminescent; Diode Laser	0	4.5	1.5

Notes:

- (1) N/A if not applicable
- (2) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

Table A.2 – Details of Non-Automatic Monitoring Sites

Diffusion Tube ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) (2)	Tube Co- located with a Continuous Analyser?	Tube Height (m)
DT1	Risley Moss	Rural	366708	392164	NO ₂	No	0.0	0.0	No	2.0
DT2	Selby Street	Urban Background	359152	388218	NO ₂	No	0.0	50.0	Yes	2.5
DT3	Selby Street	Urban Background	359152	388218	NO ₂	No	0.0	50.0	Yes	2.5
DT4	Selby Street	Urban Background	359152	388218	NO ₂	No	0.0	50.0	Yes	2.5
DT5	M6 Manchester Road	Roadside	366081	389204	NO ₂	Motorway AQMA	0.0	26.5	No	2.5
DT6	M62 Elm Road	Roadside	360466	391853	NO ₂	Motorway AQMA	0.0	11.0	No	2.5
DT7	Howshoots Farm	Roadside	360233	381994	NO ₂	Motorway AQMA	17.0	17.0	No	2.5
DT8	Parker Street	Roadside	360044	388048	NO ₂	Warrington AQMA	2.0	1.5	No	2.5
DT9	Wilson Patten Street	Roadside	360309	387848	NO ₂	Warrington AQMA	4.5	1.0	No	2.5
DT10	Crosfield Island 2	Roadside	359509	388235	NO ₂	Warrington AQMA	2.0	1.0	No	2.5
DT11	Baxter Street	Roadside	359447	388112	NO ₂	Warrington AQMA	2.0	1.0	No	2.5
DT12	Liverpool Road 4	Roadside	359430	387947	NO ₂	No	4.0	2.0	No	2.5
DT13	Chester Road 1	Roadside	360648	387388	NO ₂	Warrington AQMA	3.0	3.0	No	2.5

Diffusion Tube ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube Co- located with a Continuous Analyser?	Tube Height (m)
DT14	Walton Terrace	Roadside	360450	386052	NO ₂	Warrington AQMA	3.0	2.0	No	2.5
DT15	Wilderspool Causeway 1	Roadside	360832	387326	NO ₂	Warrington AQMA	2.5	2.5	No	2.5
DT16	Wilderspool Causeway 3	Roadside	361220	386874	NO ₂	Warrington AQMA	10.0	3.0	No	2.5
DT17	Wilderspool Causeway 2	Roadside	361321	386570	NO ₂	Warrington AQMA	0.0	2.0	No	2.5
DT18	Stockton Heath	Roadside	361470	385981	NO ₂	No	3.0	2.0	No	2.5
DT19	Knutsford Road	Roadside	361898	387430	NO ₂	Warrington AQMA	0.0	3.0	No	2.5
DT20	Kingsway South 1	Roadside	362813	387180	NO ₂	Warrington AQMA	0.0	3.0	No	2.5
DT21	Latchford Village 2	Roadside	362779	387288	NO ₂	Warrington AQMA	1.0	1.5	No	2.5
DT22	Latchford Village 3	Roadside	362604	387222	NO ₂	Warrington AQMA	1.0	1.5	No	2.5
DT23	Mersey Street 1	Roadside	361005	388145	NO ₂	Warrington AQMA	2.5	6.0	No	2.5
DT24	Lovely Lane	Roadside	359405	388419	NO ₂	No	2.5	2.5	No	2.5
DT25	Crosfield Street	Roadside	360040	388406	NO ₂	Warrington AQMA	4.5	2.5	No	2.5
DT26	King Edward Street	Roadside	362392	389101	NO ₂	No	2.5	2.5	No	2.5

Diffusion Tube ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) (2)	Tube Co- located with a Continuous Analyser?	Tube Height (m)
DT27	Steel Street	Roadside	362131	389473	NO ₂	No	7.0	1.5	No	2.5
DT28	Winwick Road 1	Roadside	360598	389820	NO ₂	Warrington AQMA	5.5	5.0	No	2.5
DT29	Winwick Road 2	Roadside	360484	390416	NO ₂	Warrington AQMA	5.5	3.0	No	2.5
DT30	Winwick Road 3	Roadside	360434	390968	NO ₂	Warrington AQMA	0.0	2.0	No	2.5
DT31	Longford Street	Roadside	361074	389237	NO ₂	No	2.5	2.0	No	2.5

Notes:

- (1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).
- (2) N/A if not applicable.

Table A.3 – Annual Mean NO₂ Monitoring Results: Automatic Monitoring (μg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
CM1	359152	388218	Urban Background	63.7	63.7	15	15	15	13	13
CM2	360015	387907	Roadside	96.0	96.0	28	32	32	31	31
СМЗ	360331	386454	Roadside	97.9	97.9	22	23	24	23	21
CM4	358390	388105	Roadside	99.9	99.9		21	21	19	18
CM5	358391	388106	Roadside	97.3	97.3				18	17

- ☑ Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.
- ⊠ Reported concentrations are those at the location of the monitoring site (annualised, as required), i.e. prior to any fall-off with distance correction.
- ☑ Where exceedances of the NO₂ annual mean objective occur at locations not representative of relevant exposure, the fall-off with distance concentration has been calculated and reported concentration provided in brackets for 2024.

Notes:

The annual mean concentrations are presented as µg/m³.

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

All means have been "annualised" as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.4 – Annual Mean NO₂ Monitoring Results: Non-Automatic Monitoring (μg/m³)

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
DT1	366708	392164	Rural	90.3	90.3	10.4	11.7	10.0	8.6	9.6
DT2	359152	359218	Urban Background	90.3	90.3	12.9	14.6	13.8	13.2	12.3
DT3	359152	359218	Urban Background	90.3	90.3	13.5	15.0	14.2	13.0	12.3
DT4	359152	359218	Urban Background	90.3	90.3	13.5	15.6	14.8	14.3	11.9
DT5	366081	389204	Roadside	90.3	90.3	22.9	26.9	23.2	22.3	19.4
DT6	360466	391853	Roadside	90.3	90.3	23.9	28.4	24.5	23.4	21.9
DT7	360233	381994	Roadside	90.3	90.3		35.2	30.4	27.8	26.1
DT8	360044	388048	Roadside	75.0	75.0	31.1	40.0	35.6	32.4	31.9
DT9	360309	387848	Roadside	90.3	90.3	30.6	28.8	27.1	26.0	24.1
DT10	359509	388235	Roadside	90.3	90.3	25.3	26.2	25.7	23.2	20.7
DT11	359447	388112	Roadside	90.3	90.3	31.8	37.5	34.7	31.7	29.4

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) (2)	2020	2021	2022	2023	2024
DT12	359430	387947	Roadside	90.3	90.3	26.2	28.2	24.9	24.1	22.4
DT13	360648	387388	Roadside	90.3	90.3	25.5	28.6	26.3	22.3	21.2
DT14	360450	386052	Roadside	90.3	90.3	26.1	25.2	23.6	22.3	21.2
DT15	360832	387326	Roadside	90.3	90.3	22.0	24.5	22.0	20.2	19.3
DT16	361220	386874	Roadside	80.6	80.6	20.6	24.3	22.7	21.3	18.4
DT17	361321	386570	Roadside	81.1	81.1	21.2	24.8	20.2	20.9	17.9
DT18	361470	385981	Roadside	90.3	90.3	17.7	21.0	18.5	17.3	15.0
DT19	361898	387430	Roadside	90.3	90.3	21.5	25.1	23.0	20.6	19.3
DT20	362813	387180	Roadside	90.3	90.3	22.9	29.0	26.5	24.7	23.3
DT21	362779	387288	Roadside	90.3	90.3	26.5	31.0	28.9	26.9	24.2
DT22	362604	387222	Roadside	90.3	90.3	22.2	26.8	22.7	22.8	20.9
DT23	361005	388145	Roadside	90.3	90.3	26.7	30.5	28.2	26.1	24.7
DT24	359405	388419	Roadside	90.3	90.3				26.8	24.5

Diffusion Tube ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
DT25	360040	388406	Roadside	90.3	90.3	25.4	27.1	24.9	23.8	22.4
DT26	362392	389101	Roadside	90.3	90.3	26.8	31.6	28.0	26.7	25.2
DT27	362131	389473	Roadside	90.3	90.3	25.9	30.3	27.5	24.6	24.5
DT28	360598	389820	Roadside	90.3	90.3	22.0	25.7	23.2	21.7	20.5
DT29	360484	390416	Roadside	90.3	90.3	30.1	33.2	30.2	27.3	25.8
DT30	360434	390968	Roadside	90.3	90.3	27.0	30.3	26.1	24.8	23.2
DT31	361074	389237	Roadside	80.6	80.6			27.1	26.2	23.6

- ☑Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.
- ☑ Diffusion tube data has been bias adjusted.
- ☑ Reported concentrations are those at the location of the monitoring site (bias adjusted and annualised, as required), i.e. prior to any fall-off with distance correction.

Notes:

The annual mean concentrations are presented as µg/m³.

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

 NO_2 annual means exceeding $60\mu g/m^3$, indicating a potential exceedance of the NO_2 1-hour mean objective are shown in **bold and underlined**.

Means for diffusion tubes have been corrected for bias. All means have been "annualised" as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.1a - Trends in Annual Mean NO₂ Concentrations for Warrington AQMA




Figure A.1b - Trends in Annual Mean NO₂ Concentrations for Motorway AQMA




Figure A.1c - Trends in Annual Mean NO₂ Concentrations for Outside AQMA



Figure A.2 – Comparison of NO₂ Monthly Mean Concentrations measured at automatic monitoring sites across the Northwest




Table A.5 – 1-Hour Mean NO₂ Monitoring Results, Number of 1-Hour Means > 200μg/m³

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
CM1	359152	388218	Urban Background	63.7	63.7	0	0	0	0	0
CM2	360015	387907	Roadside	96.0	96.0	0	0	0	0	0
CM3	360331	386454	Roadside	97.9	97.9	0	0	0	0	0
CM4	358390	388105	Roadside	99.9	99.9		0	0	0	0
CM5	358391	388106	Roadside	97.3	97.3				0	0

Notes:

Results are presented as the number of 1-hour periods where concentrations greater than 200µg/m³ have been recorded.

Exceedances of the NO₂ 1-hour mean objective (200µg/m³ not to be exceeded more than 18 times/year) are shown in **bold**.

If the period of valid data is less than 85%, the 99.8th percentile of 1-hour means is provided in brackets.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.6 – Annual Mean PM₁₀ Monitoring Results (μg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
CM1	359152	388218	Urban Background	95.5	95.5	15	13	15	14	13
CM4	358390	388105	Roadside	95.2	95.2		13	11	10	11
CM5	358391	388106	Roadside	99.7	99.7				13	10

☑ Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22

Notes:

The annual mean concentrations are presented as µg/m³.

Exceedances of the PM₁₀ annual mean objective of 40µg/m³ are shown in **bold**.

All means have been "annualised" as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.2 – Trends in Annual Mean PM₁₀ Concentrations




Table A.7 – 24-Hour Mean PM₁₀ Monitoring Results, Number of PM₁₀ 24-Hour Means > 50μg/m³

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
CM1	359152	388218	Urban Background	95.5	95.5	1	1	1	0	0
CM4	358390	388105	Roadside	95.2	95.2		2	1	0	0
CM5	358391	388106	Roadside	99.7	99.7				0	0

Notes:

Results are presented as the number of 24-hour periods where daily mean concentrations greater than $50\mu g/m^3$ have been recorded. Exceedances of the PM₁₀ 24-hour mean objective ($50\mu g/m^3$ not to be exceeded more than 35 times/year) are shown in **bold**. If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.8 – Annual Mean PM_{2.5} Monitoring Results (μg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%)	Valid Data Capture 2024 (%) ⁽²⁾	2020	2021	2022	2023	2024
CM1	359152	388218	Urban Background	93.6	93.6	9	8	7	8	8
CM4	358390	388105	Roadside	95.2	95.2		10	9	8	9
CM5	358391	388106	Roadside	99.7	99.7				9	8

[☑] Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22

Notes:

The annual mean concentrations are presented as µg/m³.

All means have been "annualised" as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

- (1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
- (2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A4 – Trends in Annual Mean PM_{2.5} Concentrations




Figure A.5 – Comparison of 2023 PM_{2.5} PHOF indicator (New Data)

Area ▲▼	Recent Trend	Count ▲▼	Value ▲ ▼	95% Lower Cl	95% Upper Cl
England	-	-	5.2	-	-
North West region (statistical)	-	-	4.9	-	-
Manchester	-	-	5.6	-	-
Oldham	-	-	5.6	-	-
Tameside	-	-	5.6	-	-
Salford	-	-	5.4	-	-
Rochdale	-	-	5.4	-	-
Stockport	-	-	5.3	-	-
Bury	-	-	5.3	-	-
St. Helens	-	-	5.2	-	-
Vigan	-	-	5.2	-	-
Knowsley	-	-	5.2	-	-
Bolton	-	-	5.2	-	-
Trafford	-	-	5.2	-	-
_iverpool	-	-	5.0	-	-
Cheshire East	-	-	5.0	-	-
Sefton	-	-	4.9	-	-
Varrington	-	-	4.9	-	-
Blackburn with Darwen	-	-	4.8	-	-
Halton	-	-	4.8	-	-
Blackpool	-	-	4.7	-	-
Cheshire West and Chester	-	-	4.6	-	-
ancashire	-	-	4.6	-	-
Virral	-	-	4.3	-	-
Vestmorland and Furness	-	-	3.6	-	-
Cumberland	_	-	3.4	-	-

Source: Department for Environment, Food and Rural Affairs

Appendix B: Full Monthly Diffusion Tube Results for 2024

Table B.1 – NO₂ 2024 Diffusion Tube Results (µg/m³)

DT ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean: Raw Data	Annual Mean: Annualised and Bias Adjusted <(0.81)>	Annual Mean: Distance Corrected to Nearest Exposure	Comment
DT1	366708	392164	12.5	10.5	7.7	6.4	5.9	6.0	7.3	7.0	8.9	9.9	48.0		11.8	9.6	-	
DT2	359152	388218	21.4	20.4	16.3	11.8	13.1	7.8	10.8	11.1	14.5	17.8	21.6		15.1	12.3	-	
DT3	359152	388218	21.1	20.0	17.6	11.1	13.1	7.8	10.5	11.3	16.2	15.9	21.8		15.1	12.3	-	
DT4	359152	388218	20.7	20.1	17.2	11.4	13.0	7.8	10.4	11.1	14.1	15.1	20.7		14.7	11.9	-	
DT5	366081	389204	29.6	30.1	24.1	22.2	22.5	17.2	18.9	18.4	25.6	24.7	30.6		24.0	19.4	-	
DT6	360466	391853	34.2	33.2	22.8	23.5	25.7	24.3	23.3	22.8	26.6	24.8	36.4		27.0	21.9	-	
DT7	360233	381994	35.7	35.9	28.7	28.9	35.1	29.5	30.4	30.1	31.3	31.9	36.7		32.2	26.1	-	
DT8	360044	388048	42.1	45.8	40.5	35.7		28.8		33.1	40.1	39.1	49.7		39.4	31.9	-	
DT9	360309	387848	37.0	36.7	28.6	24.6	29.4	24.9	25.2	25.4	32.3	26.7	36.6		29.8	24.1	-	
DT10	359509	388235	28.7	33.5	27.4	23.8	23.0	17.0	20.2	22.6	23.3	27.3	34.4		25.6	20.7	-	
DT11	359447	388112	40.3	41.6	36.4	33.7	33.7	31.3	32.6	33.9	39.1	33.4	43.8		36.3	29.4	-	
DT12	359430	387947	31.0	34.3	28.6	26.1	27.6	23.8	21.7	24.0	27.1	25.2	35.2		27.7	22.4	-	
DT13	360648	387388	29.4	31.5	25.1	22.8	27.1	21.6	21.5	21.9	27.6	25.3	33.8		26.1	21.2	-	
DT14	360450	386052	31.6	28.4	23.0	24.8	27.9	24.4	23.8	23.4	25.3	23.9	31.2		26.1	21.2	-	
DT15	360832	387326	30.9	29.3	22.4	19.1	22.6	19.6	21.3	18.2	22.4	23.9	32.8		23.9	19.3	-	
DT16	361220	386874	29.6	25.2	24.6	21.9	23.9	21.1	20.9	8.5	17.4		33.8		22.7	18.4	-	
DT17	361321	386570	27.8		23.0	20.8	21.5	20.8	14.5	20.2	21.7	22.5	28.4		22.1	17.9	-	
DT18	361470	385981	26.3	21.9	19.5	16.5	17.5	12.0	18.9	14.6	19.7	9.2	27.2		18.5	15.0	-	

DT ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean: Raw Data	Annual Mean: Annualised and Bias Adjusted <(0.81)>	Annual Mean: Distance Corrected to Nearest Exposure	Comment
DT19	361898	387430	31.3	30.7	23.4	20.2	21.4	17.1	19.5	18.4	23.9	24.2	32.2		23.8	19.3	-	
DT20	362813	387180	33.1	31.7	30.6	26.8	32.4	18.5	23.6	19.2	34.0	30.5	36.2		28.8	23.3	-	
DT21	362779	387288	34.8	36.2	30.5	27.8	29.5	24.3	27.1	24.5	28.9	31.5	33.8		29.9	24.2	-	
DT22	362604	387222	31.3	31.1	26.5	22.9	24.3	14.7	19.5	18.1	31.9	27.7	36.2		25.8	20.9	-	
DT23	361005	388145	36.2	37.2	30.2	26.2	30.0	21.1	25.3	24.7	31.9	31.8	40.9		30.5	24.7	-	
DT24	359405	388419	35.8	37.6	33.9	28.3	29.7	20.4	23.9	20.9	33.7	30.4	37.7		30.2	24.5	-	
DT25	360040	388406	34.0	32.5	27.8	26.1	26.0	22.9	23.5	23.4	26.0	26.3	35.5		27.6	22.4	-	
DT26	362392	389101	38.3	35.6	28.7	27.7	29.8	22.5	24.7	22.3	32.3	35.8	44.4		31.1	25.2	-	
DT27	362131	389473	39.9	38.7	31.3	28.8	28.7	24.2	25.4	22.9	27.1	30.9	34.7		30.2	24.5	-	
DT28	360598	389820	30.0	32.1	24.5	23.8	22.3	20.6	20.8	23.4	20.9	26.6	33.4		25.3	20.5	-	
DT29	360484	390416	37.4	37.7	32.2	30.8	28.4	26.3	26.9	31.0	24.2	33.5	42.5		31.9	25.8	-	
DT30	360434	390968	36.1	36.7	25.5	25.4	26.8	28.1	26.0	23.6	24.4	26.7	36.3		28.7	23.2	-	
DT31	361074	389237	36.7	36.3	31.2	26.2	27.4	19.1	21.7	24.1	29.6		38.5		29.1	23.6	-	

- ☑ All erroneous data has been removed from the NO₂ diffusion tube dataset presented in Table B.1.
- ☑ Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.
- ☐ Local bias adjustment factor used.
- ☑ National bias adjustment factor used.
- **☑** Where applicable, data has been distance corrected for relevant exposure in the final column.
- ☑ Warrington Borough Council confirm that all 2024 diffusion tube data has been uploaded to the Diffusion Tube Data Entry System.

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60μg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

See Appendix C for details on bias adjustment and annualisation.

Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

New or Changed Sources Identified Within Warrington Borough Council During 2024

Warrington Borough Council has not identified any new sources relating to air quality within the reporting year of 2024.

Additional Air Quality Works Undertaken by Warrington Borough Council During 2024

Warrington Borough Council has not completed any additional works within the reporting year of 2023. The revised Air Quality Action Plan was approved in January 2022. A number of additional diffusion tube monitoring locations were included in 2022 to monitor the impact of the Low Traffic Neighbourhood (LTN) schemes proposed as part of the Central 6 Regeneration Masterplan; this was continued throughout 2023.

QA/QC of Diffusion Tube Monitoring

The Council uses Gradko International Ltd Laboratories to supply and analyse the diffusion tubes. The tubes are prepared using 20% triethanolamine (TEA) in water. Manufacture and analysis of the tubes by Gradko are covered by the AIR PT scheme which assessed performance in February, June, August, and October, as shown in the table/information below from Gradko. All monitoring has been carried out in accordance with the 2024 Diffusion Tube Monitoring Calendar with the exception of December which were exposed for longer than the recommended 4/5weeks. This was due to adverse weather conditions during the week commencing 1 January 2025. Therefore, the December data has been omitted for all sites.

AIR PT	Proficiency	/ Scheme	- Nitrogen Diox	ide 2024	ı
			Procedu	re GLM 7	
Date	Round	Assigned value	Measured concentration	z- Score	% Bias
Feb-24	AIR PT 62-1	2.32	2.13	-0.94	-8.2%
Feb-24	AIR PT 62-2	2.33	2.37	0.22	1.7%
Feb-24	AIR PT 62-3	1.31	1.29	-0.2	-1.5%
Feb-24	AIR PT 62-4	1.32	1.28	-0.4	-3.0%
Jun-24	AIR PT 63-1	1.01	0.94	-0.92	-6.9%
Jun-24	AIR PT 63-2	1.02	0.95	-0.92	-6.9%
Jun-24	AIR PT 63-3	1.97	1.87	-0.68	-5.1%
Jun-24	AIR PT 63-4	1.98	1.97	-0.07	-0.5%
Aug-24	AIR PT 65-1	0.82	0.82	0.00	0.0%
Aug-24	AIR PT 65-2	0.83	0.81	-0.32	-2.4%
Aug-24	AIR PT 65-3	1.6	1.56	-0.33	-2.5%
Aug-24	AIR PT 65-4	1.62	1.63	0.12	0.6%
Oct-24	AIR PT 66-1	1.02	1.01	-0.13	-1.0%
Oct-24	AIR PT 66-2	1.04	1.06	0.26	1.9%
Oct-24	AIR PT 66-3	2.06	2.10	0.26	1.9%
Oct-24	AIR PT 66-4	2.06	2.06	0	0.0%

Diffusion Tube Annualisation

All diffusion tube monitoring locations within Warrington Borough Council recorded data capture of 75% therefore it was not required to annualise any monitoring data.

Diffusion Tube Bias Adjustment Factors

The diffusion tube data presented within the 2025 ASR have been corrected for bias using an adjustment factor. Bias represents the overall tendency of the diffusion tubes to under or over-read relative to the reference chemiluminescence analyser. LAQM.TG22 provides guidance with regard to the application of a bias adjustment factor to correct diffusion tube monitoring. Triplicate co-location studies can be used to determine a local bias factor based on the comparison of diffusion tube results with data taken from NO_x/NO₂ continuous analysers. Alternatively, the national database of diffusion tube co-location surveys provides bias factors for the relevant laboratory and preparation method.

Warrington Borough Council have applied a national bias adjustment factor of 0.81 to the 2024 monitoring data. A summary of bias adjustment factors used by Warrington Borough Council over the past five years is presented in Table C. . The local bias adjustment factor, calculated as 0.83, was not selected due to poor overall data capture for the automatic/continuous monitor.

Table C.1 – Bias Adjustment Factor

Monitoring Year	Local or National	If National, Version of National Spreadsheet	Adjustment Factor
2024	National	04/25	0.81
2023	National	03/24	0.81
2022	National	03/23	0.84
2021	Local		0.89
2020	National	03/21	0.81

NO₂ Fall-off with Distance from the Road

Wherever possible, monitoring locations are representative of exposure. However, where this is not possible, the NO₂ concentration at the nearest location relevant for exposure has been estimated using the Diffusion Tube Data Processing Tool/NO₂ fall-off with distance calculator available on the LAQM Support website. Where appropriate, non-automatic annual mean NO₂ concentrations corrected for distance are presented in Table B.1. No diffusion tube NO₂ monitoring locations within Warrington Borough Council required distance correction during 2024.

QA/QC of Automatic Monitoring

QA/QC was contracted to ESU1 Ltd for the NOx analyser at the Selby Street and ET Services for the NO_X analysers at Parker Street, Chester Road and Sankey Way during 2022. Routine calibrations are carried out by a trained officer from the Council, the LSO (Angela Sykes). Six monthly routine services are carried out by the contractor at each site.

Selby Street NOx and PM data is ratified as part of the AURN. Parker Street, Chester Road and Sankey Way data is ratified and provided by AQDM consultants. Ricardo-AEA provides six monthly independent QC audit checks for the Selby Street site as part of the AURN requirements. All QC checks have passed for each site.

The PM₁₀ and PM_{2.5} FDMS analysers are affiliated into the AURN. Servicing is carried out by Air Monitors Ltd with six monthly QC audits by Ricardo-AEA on behalf of Defra. Monthly calibration checks are completed by a trained Council Officer with data supplied for verification to Bureau Veritas and Ricardo-AEA acting on behalf of Defra.

PM₁₀ and PM_{2.5} Monitoring Adjustment

The type of <PM₁₀/PM_{2.5}> monitor(s) utilised within Warrington Borough Council do not require the application of a correction factor.

Automatic Monitoring Annualisation

All automatic monitoring locations measuring PM10 and PM2.5 within Warrington Borough Council recorded data capture of greater than 75% therefore it was not required to annualise any monitoring data. However, annualisation was required for NO₂

Table C.2 – Automatic NO₂ Annualisation Summary (concentrations presented in

<u>дули</u>									
Dealers and Otto	Annual Data	A	CI	СМ1					
Background Site	Capture (%)	Annual Mean (A _m)	Period Mean (P _m)	Ratio (A _m / P _m)					
Crewe Coppenhall	98.5	10.5	11.1	0.944					
Salford Eccles	94.5	18.0	19.1	0.939					
Wigan Centre	90.0	12.7	14.2	0.891					
Manchester Piccadilly	90.3	27.0	28.3	0.956					
	Average (R _a)		0.0	932					
Raw Da	13.8								
Annualised	Annualised Annual Mean (M x R _a)								

NO₂ Fall-off with Distance from the Road

Wherever possible, monitoring locations are representative of exposure. However, where this is not possible, the NO₂ concentration at the nearest location relevant for exposure has been estimated using the NO₂ fall-off with distance calculator available on the LAQM Support website. Where appropriate, automatic annual mean NO₂ concentrations corrected for distance are presented in Table A.3. No automatic NO₂ monitoring locations within Warrington Borough Council required distance correction during 2024.

Appendix D: Map(s) of Monitoring Locations and AQMAs

Figure D.1 – Map of all Monitoring Locations




Figure D.2 – Town Centre Monitoring Locations




Figure D.3 – Map of Winwick Road/Orford Monitoring Locations




Figure D.4 – Map of South Warrington Monitoring Locations







Figure D.5 – Map of Motorway Monitoring Locations









Appendix E: Summary of Air Quality Objectives in England

Table E.1 - Air Quality Objectives in England⁵


Pollutant	Air Quality Objective: Concentration	Air Quality Objective: Measured as
Nitrogen Dioxide (NO ₂)	200μg/m³ not to be exceeded more than 18 times a year	1-hour mean
Nitrogen Dioxide (NO ₂)	40μg/m³	Annual mean
Particulate Matter (PM ₁₀)	50µg/m³, not to be exceeded more than 35 times a year	24-hour mean
Particulate Matter (PM ₁₀)	40μg/m³	Annual mean
Sulphur Dioxide (SO ₂)	350μg/m³, not to be exceeded more than 24 times a year	1-hour mean
Sulphur Dioxide (SO ₂)	125µg/m³, not to be exceeded more than 3 times a year	24-hour mean
Sulphur Dioxide (SO ₂)	266μg/m³, not to be exceeded more than 35 times a year	15-minute mean

 $^{^{5}}$ The units are in microgrammes of pollutant per cubic metre of air (µg/m 3).

Appendix F: Traffic Information

This data has been taken from automatic traffic counts based on 6 major radial routes across Warrington (Sankey Way, Chester Road, Winwick Road, Knutsford Road, Manchester Road and Wilderspool Causeway), from Tuesday to Thursday only (Midweek).

The graph below summarises the past four years in comparison with the relative prepandemic 'normality' in 2019.



The baseline year used is 2019 (pre-pandemic). In 2024 traffic volume averaged 93% of this pre-Covid level.

Glossary of Terms

Glossary or re-	
Abbreviation	Description
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
ASR	Annual Status Report
Defra	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – Air quality screening tool produced by National Highways
LAQM	Local Air Quality Management
NO ₂	Nitrogen Dioxide
NOx	Nitrogen Oxides
PM ₁₀	Airborne particulate matter with an aerodynamic diameter of 10μm or less
PM _{2.5}	Airborne particulate matter with an aerodynamic diameter of 2.5μm or less
QA/QC	Quality Assurance and Quality Control
SO ₂	Sulphur Dioxide

References

- Local Air Quality Management Technical Guidance LAQM.TG22. August 2022. Published by Defra in partnership with the Scottish Government, Welsh Assembly Government and Department of the Environment Northern Ireland.
- Local Air Quality Management Policy Guidance LAQM.PG22. August 2022. Published by Defra in partnership with the Scottish Government, Welsh Assembly Government and Department of the Environment Northern Ireland.
- Chemical hazards and poisons report: Issue 28. June 2022. Published by UK Health Security Agency
- Air Quality Strategy Framework for Local Authority Delivery. August 2023. Published by Defra.